



PFB1730 - Заготовки с правоъгълно сечение / Precision Flat Bar

Стр./Page 1 / 7





L=500mm



1. Материал: 1.1730
2. Означение по DIN: C45U
3. Закалена: ≤190 HB
3. Четири стени - по ширина и по дебелина фино фрезовани, по дължина - отрязани.

L=1000mm



1. Mat.: 1.1730, DIN: C45U
2. Annealed to ≤190 HB
3. Width and thickness fine milled, bar ends sawn cut.

Код / Code	T	W	L	Мат./Mat.
PFB1730N0040200500	4	20	500	1.1730
PFB1730N0040201000	4	20	1000	1.1730
PFB1730N0040250500	4	25	500	1.1730
PFB1730N0040251000	4	25	1000	1.1730
PFB1730N0040300500	4	30	500	1.1730
PFB1730N0040301000	4	30	1000	1.1730
PFB1730N0040400500	4	40	500	1.1730
PFB1730N0040401000	4	40	1000	1.1730
PFB1730N0040500500	4	50	500	1.1730
PFB1730N0040501000	4	50	1000	1.1730
PFB1730N0040600500	4	60	500	1.1730
PFB1730N0040601000	4	60	1000	1.1730
PFB1730N0040700500	4	70	500	1.1730
PFB1730N0040701000	4	70	1000	1.1730
PFB1730N0040800500	4	80	500	1.1730
PFB1730N0040801000	4	80	1000	1.1730
PFB1730N0040900500	4	90	500	1.1730
PFB1730N0040901000	4	90	1000	1.1730
PFB1730N0041000500	4	100	500	1.1730
PFB1730N0041001000	4	100	1000	1.1730
PFB1730N0041250500	4	125	500	1.1730
PFB1730N0041251000	4	125	1000	1.1730
PFB1730N0041500500	4	150	500	1.1730
PFB1730N0041501000	4	150	1000	1.1730
PFB1730N0041600500	4	160	500	1.1730
PFB1730N0041601000	4	160	1000	1.1730
PFB1730N0060200500	6	20	500	1.1730
PFB1730N0060201000	6	20	1000	1.1730
PFB1730N0060250500	6	25	500	1.1730
PFB1730N0060251000	6	25	1000	1.1730
PFB1730N0060300500	6	30	500	1.1730
PFB1730N0060301000	6	30	1000	1.1730
PFB1730N0060400500	6	40	500	1.1730
PFB1730N0060401000	6	40	1000	1.1730
PFB1730N0060500500	6	50	500	1.1730
PFB1730N0060501000	6	50	1000	1.1730
PFB1730N0060600500	6	60	500	1.1730



Код / Code	T	W	L	Мат./Mat.
PFB1730N0060601000	6	60	1000	1.1730
PFB1730N0060700500	6	70	500	1.1730
PFB1730N0060701000	6	70	1000	1.1730
PFB1730N0060800500	6	80	500	1.1730
PFB1730N0060801000	6	80	1000	1.1730
PFB1730N0060900500	6	90	500	1.1730
PFB1730N0060901000	6	90	1000	1.1730
PFB1730N0061000500	6	100	500	1.1730
PFB1730N0061001000	6	100	1000	1.1730
PFB1730N0061200500	6	120	500	1.1730
PFB1730N0061201000	6	120	1000	1.1730
PFB1730N0061251000	6	125	1000	1.1730
PFB1730N0061400500	6	140	500	1.1730
PFB1730N0061401000	6	140	1000	1.1730
PFB1730N0061500500	6	150	500	1.1730
PFB1730N0061501000	6	150	1000	1.1730
PFB1730N0061600500	6	160	500	1.1730
PFB1730N0061601000	6	160	1000	1.1730
PFB1730N0080200500	8	20	500	1.1730
PFB1730N0080201000	8	20	1000	1.1730
PFB1730N0080250500	8	25	500	1.1730
PFB1730N0080251000	8	25	1000	1.1730
PFB1730N0080300500	8	30	500	1.1730
PFB1730N0080301000	8	30	1000	1.1730
PFB1730N0080400500	8	40	500	1.1730
PFB1730N0080401000	8	40	1000	1.1730
PFB1730N0080500500	8	50	500	1.1730
PFB1730N0080501000	8	50	1000	1.1730
PFB1730N0080600500	8	60	500	1.1730
PFB1730N0080601000	8	60	1000	1.1730
PFB1730N0080700500	8	70	500	1.1730
PFB1730N0080701000	8	70	1000	1.1730
PFB1730N0080800500	8	80	500	1.1730
PFB1730N0080801000	8	80	1000	1.1730
PFB1730N0080900500	8	90	500	1.1730
PFB1730N0080901000	8	90	1000	1.1730
PFB1730N0081000500	8	100	500	1.1730

PFB1730 - Заготовки с правоъгълно сечение / Precision Flat Bar

Стр./Page 2 / 7





L=500mm



1. Материал: 1.1730
2. Означение по DIN: C45U
3. Закалена: ≤190 HB
3. Четири стени - по ширина и по дебелина фино фрезовани, по дължина - отрязани.

L=1000mm



1. Mat.: 1.1730, DIN: C45U
2. Annealed to ≤190 HB
3. Width and thickness fine milled, bar ends sawn cut.

Код / Code	T	W	L	Мат./Mat.
PFB1730N0081001000	8	100	1000	1.1730
PFB1730N0081200500	8	120	500	1.1730
PFB1730N0081201000	8	120	1000	1.1730
PFB1730N0081251000	8	125	1000	1.1730
PFB1730N0081400500	8	140	500	1.1730
PFB1730N0081401000	8	140	1000	1.1730
PFB1730N0081500500	8	150	500	1.1730
PFB1730N0081501000	8	150	1000	1.1730
PFB1730N0081600500	8	160	500	1.1730
PFB1730N0081601000	8	160	1000	1.1730
PFB1730N0100200500	10	20	500	1.1730
PFB1730N0100201000	10	20	1000	1.1730
PFB1730N0100250500	10	25	500	1.1730
PFB1730N0100251000	10	25	1000	1.1730
PFB1730N0100300500	10	30	500	1.1730
PFB1730N0100301000	10	30	1000	1.1730
PFB1730N0100400500	10	40	500	1.1730
PFB1730N0100401000	10	40	1000	1.1730
PFB1730N0100500500	10	50	500	1.1730
PFB1730N0100501000	10	50	1000	1.1730
PFB1730N0100600500	10	60	500	1.1730
PFB1730N0100601000	10	60	1000	1.1730
PFB1730N0100700500	10	70	500	1.1730
PFB1730N0100701000	10	70	1000	1.1730
PFB1730N0100800500	10	80	500	1.1730
PFB1730N0100801000	10	80	1000	1.1730
PFB1730N0100900500	10	90	500	1.1730
PFB1730N0100901000	10	90	1000	1.1730
PFB1730N0101000500	10	100	500	1.1730
PFB1730N0101001000	10	100	1000	1.1730
PFB1730N0101200500	10	120	500	1.1730
PFB1730N0101201000	10	120	1000	1.1730
PFB1730N0101251000	10	125	1000	1.1730
PFB1730N0101400500	10	140	500	1.1730
PFB1730N0101401000	10	140	1000	1.1730
PFB1730N0101500500	10	150	500	1.1730
PFB1730N0101501000	10	150	1000	1.1730



Код / Code	T	W	L	Мат./Mat.
PFB1730N0101600500	10	160	500	1.1730
PFB1730N0101601000	10	160	1000	1.1730
PFB1730N0101751000	10	175	1000	1.1730
PFB1730N0101800500	10	180	500	1.1730
PFB1730N0101801000	10	180	1000	1.1730
PFB1730N0102000500	10	200	500	1.1730
PFB1730N0102001000	10	200	1000	1.1730
PFB1730N0102250500	10	225	500	1.1730
PFB1730N0102251000	10	225	1000	1.1730
PFB1730N0102500500	10	250	500	1.1730
PFB1730N0102501000	10	250	1000	1.1730
PFB1730N0103000500	10	300	500	1.1730
PFB1730N0103001000	10	300	1000	1.1730
PFB1730N0120200500	12	20	500	1.1730
PFB1730N0120201000	12	20	1000	1.1730
PFB1730N0120250500	12	25	500	1.1730
PFB1730N0120251000	12	25	1000	1.1730
PFB1730N0120300500	12	30	500	1.1730
PFB1730N0120301000	12	30	1000	1.1730
PFB1730N0120400500	12	40	500	1.1730
PFB1730N0120401000	12	40	1000	1.1730
PFB1730N0120500500	12	50	500	1.1730
PFB1730N0120501000	12	50	1000	1.1730
PFB1730N0120600500	12	60	500	1.1730
PFB1730N0120601000	12	60	1000	1.1730
PFB1730N0120700500	12	70	500	1.1730
PFB1730N0120701000	12	70	1000	1.1730
PFB1730N0120800500	12	80	500	1.1730
PFB1730N0120801000	12	80	1000	1.1730
PFB1730N0120900500	12	90	500	1.1730
PFB1730N0120901000	12	90	1000	1.1730
PFB1730N0121000500	12	100	500	1.1730
PFB1730N0121001000	12	100	1000	1.1730
PFB1730N0121200500	12	120	500	1.1730
PFB1730N0121201000	12	120	1000	1.1730
PFB1730N0121300500	12	130	500	1.1730
PFB1730N0121301000	12	130	1000	1.1730

PFB1730 - Заготовки с правоъгълно сечение / Precision Flat Bar

Стр./Page 3 / 7





L=500mm



1. Материал: 1.1730
 Означение по DIN: C45U
 2. Закалена: ≤190 HB
 3. Четири стени - по ширина и по дебелина фино фрезовани, по дължина - отрязани.

L=1000mm



1. Mat.: 1.1730, DIN: C45U
 2. Annealed to ≤190 HB
 3. Width and thickness fine milled, bar ends sawn cut.

Код / Code	T	W	L	Мат./Mat.
PFB1730N0121400500	12	140	500	1.1730
PFB1730N0121401000	12	140	1000	1.1730
PFB1730N0121500500	12	150	500	1.1730
PFB1730N0121501000	12	150	1000	1.1730
PFB1730N0121600500	12	160	500	1.1730
PFB1730N0121601000	12	160	1000	1.1730
PFB1730N0121751000	12	175	1000	1.1730
PFB1730N0121800500	12	180	500	1.1730
PFB1730N0121801000	12	180	1000	1.1730
PFB1730N0122000500	12	200	500	1.1730
PFB1730N0122001000	12	200	1000	1.1730
PFB1730N0122250500	12	225	500	1.1730
PFB1730N0122251000	12	225	1000	1.1730
PFB1730N0122500500	12	250	500	1.1730
PFB1730N0122501000	12	250	1000	1.1730
PFB1730N0123000500	12	300	500	1.1730
PFB1730N0123001000	12	300	1000	1.1730
PFB1730N0160200500	16	20	500	1.1730
PFB1730N0160201000	16	20	1000	1.1730
PFB1730N0160250500	16	25	500	1.1730
PFB1730N0160251000	16	25	1000	1.1730
PFB1730N0160300500	16	30	500	1.1730
PFB1730N0160301000	16	30	1000	1.1730
PFB1730N0160400500	16	40	500	1.1730
PFB1730N0160401000	16	40	1000	1.1730
PFB1730N0160500500	16	50	500	1.1730
PFB1730N0160501000	16	50	1000	1.1730
PFB1730N0160600500	16	60	500	1.1730
PFB1730N0160601000	16	60	1000	1.1730
PFB1730N0160700500	16	70	500	1.1730
PFB1730N0160701000	16	70	1000	1.1730
PFB1730N0160800500	16	80	500	1.1730
PFB1730N0160801000	16	80	1000	1.1730
PFB1730N0160900500	16	90	500	1.1730
PFB1730N0160901000	16	90	1000	1.1730
PFB1730N0161000500	16	100	500	1.1730
PFB1730N0161001000	16	100	1000	1.1730



Код / Code	T	W	L	Мат./Mat.
PFB1730N0161250500	16	125	500	1.1730
PFB1730N0161251000	16	125	1000	1.1730
PFB1730N0161500500	16	150	500	1.1730
PFB1730N0161501000	16	150	1000	1.1730
PFB1730N0161600500	16	160	500	1.1730
PFB1730N0161601000	16	160	1000	1.1730
PFB1730N0161750500	16	175	500	1.1730
PFB1730N0161751000	16	175	1000	1.1730
PFB1730N0162000500	16	200	500	1.1730
PFB1730N0162001000	16	200	1000	1.1730
PFB1730N0162250500	16	225	500	1.1730
PFB1730N0162251000	16	225	1000	1.1730
PFB1730N0162500500	16	250	500	1.1730
PFB1730N0162501000	16	250	1000	1.1730
PFB1730N0163000500	16	300	500	1.1730
PFB1730N0163001000	16	300	1000	1.1730
PFB1730N0163500500	16	350	500	1.1730
PFB1730N0163501000	16	350	1000	1.1730
PFB1730N0200200500	20	20	500	1.1730
PFB1730N0200201000	20	20	1000	1.1730
PFB1730N0200250500	20	25	500	1.1730
PFB1730N0200251000	20	25	1000	1.1730
PFB1730N0200300500	20	30	500	1.1730
PFB1730N0200301000	20	30	1000	1.1730
PFB1730N0200400500	20	40	500	1.1730
PFB1730N0200401000	20	40	1000	1.1730
PFB1730N0200500500	20	50	500	1.1730
PFB1730N0200501000	20	50	1000	1.1730
PFB1730N0200600500	20	60	500	1.1730
PFB1730N0200601000	20	60	1000	1.1730
PFB1730N0200700500	20	70	500	1.1730
PFB1730N0200701000	20	70	1000	1.1730
PFB1730N0200800500	20	80	500	1.1730
PFB1730N0200801000	20	80	1000	1.1730
PFB1730N0200900500	20	90	500	1.1730
PFB1730N0200901000	20	90	1000	1.1730
PFB1730N0201000500	20	100	500	1.1730

PFB1730 - Заготовки с правоъгълно сечение / Precision Flat Bar

Стр./Page 4 / 7





L=500mm



1. Материал: 1.1730
Означение по DIN: C45U
2. Закалена: ≤190 HB
3. Четири стени - по ширина и по дебелина фино фрезовани, по дължина - отрязани.

L=1000mm



1. Mat.: 1.1730, DIN: C45U
2. Annealed to ≤190 HB
3. Width and thickness fine milled, bar ends sawn cut.

Код / Code	T	W	L	Мат./Mat.
PFB1730N0201001000	20	100	1000	1.1730
PFB1730N0201100500	20	110	500	1.1730
PFB1730N0201101000	20	110	1000	1.1730
PFB1730N0201200500	20	120	500	1.1730
PFB1730N0201201000	20	120	1000	1.1730
PFB1730N0201300500	20	130	500	1.1730
PFB1730N0201301000	20	130	1000	1.1730
PFB1730N0201400500	20	140	500	1.1730
PFB1730N0201401000	20	140	1000	1.1730
PFB1730N0201500500	20	150	500	1.1730
PFB1730N0201501000	20	150	1000	1.1730
PFB1730N0201600500	20	160	500	1.1730
PFB1730N0201601000	20	160	1000	1.1730
PFB1730N0201751000	20	175	1000	1.1730
PFB1730N0201800500	20	180	500	1.1730
PFB1730N0201801000	20	180	1000	1.1730
PFB1730N0202000500	20	200	500	1.1730
PFB1730N0202001000	20	200	1000	1.1730
PFB1730N0202250500	20	225	500	1.1730
PFB1730N0202251000	20	225	1000	1.1730
PFB1730N0202500500	20	250	500	1.1730
PFB1730N0202501000	20	250	1000	1.1730
PFB1730N0203000500	20	300	500	1.1730
PFB1730N0203001000	20	300	1000	1.1730
PFB1730N0203500500	20	350	500	1.1730
PFB1730N0203501000	20	350	1000	1.1730
PFB1730N0250250500	25	25	500	1.1730
PFB1730N0250251000	25	25	1000	1.1730
PFB1730N0250300500	25	30	500	1.1730
PFB1730N0250301000	25	30	1000	1.1730
PFB1730N0250400500	25	40	500	1.1730
PFB1730N0250401000	25	40	1000	1.1730
PFB1730N0250500500	25	50	500	1.1730
PFB1730N0250501000	25	50	1000	1.1730
PFB1730N0250600500	25	60	500	1.1730
PFB1730N0250601000	25	60	1000	1.1730
PFB1730N0250700500	25	70	500	1.1730



Код / Code	T	W	L	Мат./Mat.
PFB1730N0250701000	25	70	1000	1.1730
PFB1730N0250800500	25	80	500	1.1730
PFB1730N0250801000	25	80	1000	1.1730
PFB1730N0250900500	25	90	500	1.1730
PFB1730N0250901000	25	90	1000	1.1730
PFB1730N0251000500	25	100	500	1.1730
PFB1730N0251001000	25	100	1000	1.1730
PFB1730N0251100500	25	110	500	1.1730
PFB1730N0251101000	25	110	1000	1.1730
PFB1730N0251200500	25	120	500	1.1730
PFB1730N0251201000	25	120	1000	1.1730
PFB1730N0251300500	25	130	500	1.1730
PFB1730N0251301000	25	130	1000	1.1730
PFB1730N0251400500	25	140	500	1.1730
PFB1730N0251401000	25	140	1000	1.1730
PFB1730N0251500500	25	150	500	1.1730
PFB1730N0251501000	25	150	1000	1.1730
PFB1730N0251600500	25	160	500	1.1730
PFB1730N0251601000	25	160	1000	1.1730
PFB1730N0251751000	25	175	1000	1.1730
PFB1730N0251800500	25	180	500	1.1730
PFB1730N0251801000	25	180	1000	1.1730
PFB1730N0252000500	25	200	500	1.1730
PFB1730N0252001000	25	200	1000	1.1730
PFB1730N0252250500	25	225	500	1.1730
PFB1730N0252251000	25	225	1000	1.1730
PFB1730N0252500500	25	250	500	1.1730
PFB1730N0252501000	25	250	1000	1.1730
PFB1730N0253000500	25	300	500	1.1730
PFB1730N0253001000	25	300	1000	1.1730
PFB1730N0253500500	25	350	500	1.1730
PFB1730N0253501000	25	350	1000	1.1730
PFB1730N0320320500	32	32	500	1.1730
PFB1730N0320321000	32	32	1000	1.1730
PFB1730N0320400500	32	40	500	1.1730
PFB1730N0320401000	32	40	1000	1.1730
PFB1730N0320500500	32	50	500	1.1730

PFB1730 - Заготовки с правоъгълно сечение / Precision Flat Bar

Стр./Page 5 / 7





L=500mm



1. Материал: 1.1730
 Означение по DIN: C45U
 2. Закалена: ≤190 HB
 3. Четири стени - по ширина и по дебелина фино фрезовани, по дължина - отрязани.

L=1000mm



1. Mat.: 1.1730, DIN: C45U
 2. Annealed to ≤190 HB
 3. Width and thickness fine milled, bar ends sawn cut.

Код / Code	T	W	L	Мат./Mat.
PFB1730N0320501000	32	50	1000	1.1730
PFB1730N0320600500	32	60	500	1.1730
PFB1730N0320601000	32	60	1000	1.1730
PFB1730N0320700500	32	70	500	1.1730
PFB1730N0320701000	32	70	1000	1.1730
PFB1730N0320800500	32	80	500	1.1730
PFB1730N0320801000	32	80	1000	1.1730
PFB1730N0320900500	32	90	500	1.1730
PFB1730N0320901000	32	90	1000	1.1730
PFB1730N0321000500	32	100	500	1.1730
PFB1730N0321001000	32	100	1000	1.1730
PFB1730N0321250500	32	125	500	1.1730
PFB1730N0321251000	32	125	1000	1.1730
PFB1730N0321400500	32	140	500	1.1730
PFB1730N0321401000	32	140	1000	1.1730
PFB1730N0321500500	32	150	500	1.1730
PFB1730N0321501000	32	150	1000	1.1730
PFB1730N0321600500	32	160	500	1.1730
PFB1730N0321601000	32	160	1000	1.1730
PFB1730N0321750500	32	175	500	1.1730
PFB1730N0321751000	32	175	1000	1.1730
PFB1730N0322000500	32	200	500	1.1730
PFB1730N0322001000	32	200	1000	1.1730
PFB1730N0322250500	32	225	500	1.1730
PFB1730N0322251000	32	225	1000	1.1730
PFB1730N0322500500	32	250	500	1.1730
PFB1730N0322501000	32	250	1000	1.1730
PFB1730N0323000500	32	300	500	1.1730
PFB1730N0323001000	32	300	1000	1.1730
PFB1730N0323500500	32	350	500	1.1730
PFB1730N0323501000	32	350	1000	1.1730
PFB1730N0400400500	40	40	500	1.1730
PFB1730N0400401000	40	40	1000	1.1730
PFB1730N0400500500	40	50	500	1.1730
PFB1730N0400501000	40	50	1000	1.1730
PFB1730N0400600500	40	60	500	1.1730
PFB1730N0400601000	40	60	1000	1.1730



Код / Code	T	W	L	Мат./Mat.
PFB1730N0400700500	40	70	500	1.1730
PFB1730N0400701000	40	70	1000	1.1730
PFB1730N0400800500	40	80	500	1.1730
PFB1730N0400801000	40	80	1000	1.1730
PFB1730N0400900500	40	90	500	1.1730
PFB1730N0400901000	40	90	1000	1.1730
PFB1730N0401000500	40	100	500	1.1730
PFB1730N0401001000	40	100	1000	1.1730
PFB1730N0401100500	40	110	500	1.1730
PFB1730N0401101000	40	110	1000	1.1730
PFB1730N0401200500	40	120	500	1.1730
PFB1730N0401201000	40	120	1000	1.1730
PFB1730N0401300500	40	130	500	1.1730
PFB1730N0401301000	40	130	1000	1.1730
PFB1730N0401400500	40	140	500	1.1730
PFB1730N0401401000	40	140	1000	1.1730
PFB1730N0401500500	40	150	500	1.1730
PFB1730N0401501000	40	150	1000	1.1730
PFB1730N0401600500	40	160	500	1.1730
PFB1730N0401601000	40	160	1000	1.1730
PFB1730N0401750500	40	175	500	1.1730
PFB1730N0401751000	40	175	1000	1.1730
PFB1730N0401800500	40	180	500	1.1730
PFB1730N0401801000	40	180	1000	1.1730
PFB1730N0402000500	40	200	500	1.1730
PFB1730N0402001000	40	200	1000	1.1730
PFB1730N0402250500	40	225	500	1.1730
PFB1730N0402251000	40	225	1000	1.1730
PFB1730N0402500500	40	250	500	1.1730
PFB1730N0402501000	40	250	1000	1.1730
PFB1730N0403000500	40	300	500	1.1730
PFB1730N0403001000	40	300	1000	1.1730
PFB1730N0403500500	40	350	500	1.1730
PFB1730N0403501000	40	350	1000	1.1730
PFB1730N0500500500	50	50	500	1.1730
PFB1730N0500501000	50	50	1000	1.1730
PFB1730N0500600500	50	60	500	1.1730

PFB1730 - Заготовки с правоъгълно сечение / Precision Flat Bar

Стр./Page 6 / 7





L=500mm



1. Материал: 1.1730
2. Означение по DIN: C45U
3. Закалена: ≤190 HB
3. Четири стени - по ширина и по дебелина фино фрезирани, по дължина - отрязани.

L=1000mm



1. Mat.: 1.1730, DIN: C45U
2. Annealed to ≤190 HB
3. Width and thickness fine milled, bar ends sawn cut.

Код / Code	T	W	L	Мат./Mat.
PFB1730N0500601000	50	60	1000	1.1730
PFB1730N0500700500	50	70	500	1.1730
PFB1730N0500701000	50	70	1000	1.1730
PFB1730N0500800500	50	80	500	1.1730
PFB1730N0500801000	50	80	1000	1.1730
PFB1730N0500900500	50	90	500	1.1730
PFB1730N0500901000	50	90	1000	1.1730
PFB1730N0501000500	50	100	500	1.1730
PFB1730N0501001000	50	100	1000	1.1730
PFB1730N0501100500	50	110	500	1.1730
PFB1730N0501101000	50	110	1000	1.1730
PFB1730N0501200500	50	120	500	1.1730
PFB1730N0501201000	50	120	1000	1.1730
PFB1730N0501300500	50	130	500	1.1730
PFB1730N0501301000	50	130	1000	1.1730
PFB1730N0501400500	50	140	500	1.1730
PFB1730N0501401000	50	140	1000	1.1730
PFB1730N0501500500	50	150	500	1.1730
PFB1730N0501501000	50	150	1000	1.1730
PFB1730N0501600500	50	160	500	1.1730
PFB1730N0501601000	50	160	1000	1.1730
PFB1730N0501750500	50	175	500	1.1730
PFB1730N0501751000	50	175	1000	1.1730
PFB1730N0501800500	50	180	500	1.1730
PFB1730N0501801000	50	180	1000	1.1730
PFB1730N0502000500	50	200	500	1.1730
PFB1730N0502001000	50	200	1000	1.1730
PFB1730N0502250500	50	225	500	1.1730
PFB1730N0502251000	50	225	1000	1.1730
PFB1730N0502500500	50	250	500	1.1730
PFB1730N0502501000	50	250	1000	1.1730
PFB1730N0503000500	50	300	500	1.1730
PFB1730N0503001000	50	300	1000	1.1730
PFB1730N0503500500	50	350	500	1.1730
PFB1730N0503501000	50	350	1000	1.1730
PFB1730N0600600500	60	60	500	1.1730
PFB1730N0600601000	60	60	1000	1.1730


Код / Code	T	W	L	Мат./Mat.
PFB1730N0600700500	60	70	500	1.1730
PFB1730N0600701000	60	70	1000	1.1730
PFB1730N0600800500	60	80	500	1.1730
PFB1730N0600801000	60	80	1000	1.1730
PFB1730N0600900500	60	90	500	1.1730
PFB1730N0600901000	60	90	1000	1.1730
PFB1730N0601000500	60	100	500	1.1730
PFB1730N0601001000	60	100	1000	1.1730
PFB1730N0601200500	60	120	500	1.1730
PFB1730N0601201000	60	120	1000	1.1730
PFB1730N0601250500	60	125	500	1.1730
PFB1730N0601251000	60	125	1000	1.1730
PFB1730N0601400500	60	140	500	1.1730
PFB1730N0601401000	60	140	1000	1.1730
PFB1730N0601500500	60	150	500	1.1730
PFB1730N0601501000	60	150	1000	1.1730
PFB1730N0601600500	60	160	500	1.1730
PFB1730N0601601000	60	160	1000	1.1730
PFB1730N0601750500	60	175	500	1.1730
PFB1730N0601751000	60	175	1000	1.1730
PFB1730N0601800500	60	180	500	1.1730
PFB1730N0601801000	60	180	1000	1.1730
PFB1730N0602000500	60	200	500	1.1730
PFB1730N0602001000	60	200	1000	1.1730
PFB1730N0602250500	60	225	500	1.1730
PFB1730N0602251000	60	225	1000	1.1730
PFB1730N0602500500	60	250	500	1.1730
PFB1730N0602501000	60	250	1000	1.1730
PFB1730N0603000500	60	300	500	1.1730
PFB1730N0603001000	60	300	1000	1.1730
PFB1730N0603500500	60	350	500	1.1730
PFB1730N0603501000	60	350	1000	1.1730
PFB1730N0700700500	70	70	500	1.1730
PFB1730N0700701000	70	70	1000	1.1730
PFB1730N0700800500	70	80	500	1.1730
PFB1730N0700801000	70	80	1000	1.1730
PFB1730N0700900500	70	90	500	1.1730

PFB1730 - Заготовки с правоъгълно сечение / Precision Flat Bar

Стр./Page 7 / 7




L=500mm



1. Материал: 1.1730
2. Означение по DIN: C45U
3. Закалена: ≤ 190 HB
3. Четири стени - по ширина и по дебелина фино фрезовани, по дължина - отрязани.

L=1000mm



1. Mat.: 1.1730, DIN: C45U
2. Annealed to ≤ 190 HB
3. Width and thickness fine milled, bar ends sawn cut.

Код / Code	T	W	L	Мат./Mat.
PFB1730N0700901000	70	90	1000	1.1730
PFB1730N0701000500	70	100	500	1.1730
PFB1730N0701001000	70	100	1000	1.1730
PFB1730N0701200500	70	120	500	1.1730
PFB1730N0701201000	70	120	1000	1.1730
PFB1730N0701251000	70	125	1000	1.1730
PFB1730N0701400500	70	140	500	1.1730
PFB1730N0701401000	70	140	1000	1.1730
PFB1730N0701500500	70	150	500	1.1730
PFB1730N0701501000	70	150	1000	1.1730
PFB1730N0702000500	70	200	500	1.1730
PFB1730N0702001000	70	200	1000	1.1730
PFB1730N0800800500	80	80	500	1.1730
PFB1730N0800801000	80	80	1000	1.1730
PFB1730N0800900500	80	90	500	1.1730

Код / Code	T	W	L	Мат./Mat.
PFB1730N0800901000	80	90	1000	1.1730
PFB1730N0801000500	80	100	500	1.1730
PFB1730N0801001000	80	100	1000	1.1730
PFB1730N0801200500	80	120	500	1.1730
PFB1730N0801201000	80	120	1000	1.1730
PFB1730N0801251000	80	125	1000	1.1730
PFB1730N0801400500	80	140	500	1.1730
PFB1730N0801401000	80	140	1000	1.1730
PFB1730N0801500500	80	150	500	1.1730
PFB1730N0801501000	80	150	1000	1.1730
PFB1730N0802000500	80	200	500	1.1730
PFB1730N0802001000	80	200	1000	1.1730