


DHR74-79-Втулка леякова евростандарт


Стр.1 от 4



Код DxLxd	Series	α	d	d1	K	L	D	S
DHR74/12-22-2,5	R0	2°	2,5	28	13	22	12	11
DHR74/12-22-3,5	R0	2°	3,5	28	13	22	12	11
DHR74/12-27-2,5	R0	2°	2,5	28	13	27	12	11
DHR74/12-27-3,5	R0	2°	3,5	28	13	27	12	11
DHR74/12-36-2,5	R0	2°	2,5	28	13	36	12	11
DHR74/12-36-3,5	R0	2°	3,5	28	13	36	12	11
DHR74/12-46-2,5	R0	2°	2,5	28	13	46	12	11
DHR74/12-46-3,5	R0	2°	3,5	28	13	46	12	11
DHR74/12-56-3,5	R0	2°	3,5	28	13	56	12	11
DHR74/18-116-3	R0	2°	3	38	18	116	18	15
DHR74/18-116-4	R0	2°	4	38	18	116	18	15
DHR74/18-27-3	R0	2°	3	38	18	27	18	15
DHR74/18-27-4	R0	2°	4	38	18	27	18	15
DHR74/18-36-3	R0	2°	3	38	18	36	18	15
DHR74/18-36-4	R0	2°	4	38	18	36	18	15
DHR74/18-46-3	R0	2°	3	38	18	46	18	15
DHR74/18-46-4	R0	2°	4	38	18	46	18	15
DHR74/18-56-3	R0	2°	3	38	18	56	18	15
DHR74/18-56-4	R0	2°	4	38	18	56	18	15
DHR74/18-76-3	R0	2°	3	38	18	76	18	15
DHR74/18-76-4	R0	2°	4	38	18	76	18	15
DHR74/18-96-3	R0	2°	3	38	18	96	18	15
DHR74/18-96-4	R0	2°	4	38	18	96	18	15
DHR75/18-27-3,5	R0	3°	3,5	38	18	27	18	15
DHR75/18-27-4,5	R0	3°	4,5	38	18	27	18	15
DHR75/18-36-3,5	R0	3°	3,5	38	18	36	18	15
DHR75/18-36-4,5	R0	3°	4,5	38	18	36	18	15
DHR75/18-46-3,5	R0	3°	3,5	38	18	46	18	15
DHR75/18-46-4,5	R0	3°	4,5	38	18	46	18	15
DHR75/18-56-3,5	R0	3°	3,5	38	18	56	18	15
DHR75/18-56-4,5	R0	3°	4,5	38	18	56	18	15
DHR75/18-76-4,5	R0	3°	4,5	38	18	76	18	15
DHR75/24-46-4,5	R0	3°	4,5	48	23	46	24	20
DHR75/24-56-4,5	R0	3°	4,5	48	23	56	24	20
DHR75/24-56-6,5	R0	3°	6,5	48	23	56	24	20
DHR75/24-76-4,5	R0	3°	4,5	48	23	76	24	20
DHR75/24-76-6,5	R0	3°	6,5	48	23	76	24	20

DHR74-79-Втулка леякова евростандарт


Стр.2 от 4



Код DxLxd	Series	α	d	d1	K	L	D	S
DHR076/12-27-2,5-15,5	R15.5	1°	2.5	28	13	27	12	11
DHR076/12-27-3,5-15,5	R15.5	1°	3.5	28	13	27	12	11
DHR076/12-36-2,5-15,5	R15.5	1°	2.5	28	13	36	12	11
DHR076/12-36-3,5-15,5	R15.5	1°	3.5	28	13	36	12	11
DHR076/12-46-2,5-15,5	R15.5	1°	2.5	28	13	46	12	11
DHR076/12-46-3,5-15,5	R15.5	1°	3.5	28	13	46	12	11
DHR076/12-56-3,5-15,5	R15.5	1°	3.5	28	13	56	12	11
DHR076/18-116-3,0-15,5	R15.5	1°	3	38	18	116	18	15
DHR076/18-116-4,0-15,5	R15.5	1°	4	38	18	116	18	15
DHR076/18-46-3,0-15,5	R15.5	1°	3	38	18	46	18	15
DHR076/18-46-4,0-15,5	R15.5	1°	4	38	18	46	18	15
DHR076/18-56-3,0-15,5	R15.5	1°	3	38	18	56	18	15
DHR076/18-56-4,0-15,5	R15.5	1°	4	38	18	56	18	15
DHR076/18-76-3,0-15,5	R15.5	1°	3	38	18	76	18	15
DHR076/18-76-4,0-15,5	R15.5	1°	4	38	18	76	18	15
DHR076/18-96-3,0-15,5	R15.5	1°	3	38	18	96	18	15
DHR076/18-96-4,0-15,5	R15.5	1°	4	38	18	96	18	15
DHR76/12-22-2,5-15,5	R15.5	2°	2.5	28	13	22	12	11
DHR76/12-22-3,5-15,5	R15.5	2°	3.5	28	13	22	12	11
DHR76/12-27-2,5-15,5	R15.5	2°	2.5	28	13	27	12	11
DHR76/12-27-3,5-15,5	R15.5	2°	3.5	28	13	27	12	11
DHR76/12-36-2,5-15,5	R15.5	2°	2.5	28	13	36	12	11
DHR76/12-36-3,5-15,5	R15.5	2°	3.5	28	13	36	12	11
DHR76/12-46-2,5-15,5	R15.5	2°	2.5	28	13	46	12	11
DHR76/12-46-3,5-15,5	R15.5	2°	3.5	28	13	46	12	11
DHR76/12-56-3,5-15,5	R15.5	2°	3.5	28	13	56	12	11
DHR76/18-116-3,0-15,5	R15.5	2°	3	38	18	116	18	15
DHR76/18-116-4,0-15,5	R15.5	2°	4	38	18	116	18	15
DHR76/18-27-3,0-15,5	R15.5	2°	3	38	18	27	18	15
DHR76/18-27-4,0-15,5	R15.5	2°	4	38	18	27	18	15
DHR76/18-36-3,0-15,5	R15.5	2°	3	38	18	36	18	15
DHR76/18-36-4,0-15,5	R15.5	2°	4	38	18	36	18	15
DHR76/18-46-3,0-15,5	R15.5	2°	3	38	18	46	18	15
DHR76/18-46-4,0-15,5	R15.5	2°	4	38	18	46	18	15
DHR76/18-56-3,0-15,5	R15.5	2°	3	38	18	56	18	15
DHR76/18-56-4,0-15,5	R15.5	2°	4	38	18	56	18	15
DHR76/18-76-3,0-15,5	R15.5	2°	3	38	18	76	18	15

DHR74-79-Втулка леякова евростандарт


Стр.3 от 4



Код DxLxd	Series	α	d	d1	K	L	D	S
DHR76/18-76-4,0-15,5	R15.5	2°	4	38	18	76	18	15
DHR76/18-96-3,0-15,5	R15.5	2°	3	38	18	96	18	15
DHR76/18-96-4,0-15,5	R15.5	2°	4	38	18	96	18	15
DHR77/18-27-3,5-15,5	R15.5	3°	3,5	38	18	27	18	15
DHR77/18-27-4,5-15,5	R15.5	3°	4,5	38	18	27	18	15
DHR77/18-36-3,5-15,5	R15.5	3°	3,5	38	18	36	18	15
DHR77/18-36-4,5-15,5	R15.5	3°	4,5	38	18	36	18	15
DHR77/18-46-3,5-15,5	R15.5	3°	3,5	38	18	46	18	15
DHR77/18-46-4,5-15,5	R15.5	3°	4,5	38	18	46	18	15
DHR77/18-56-3,5-15,5	R15.5	3°	3,5	38	18	56	18	15
DHR77/18-56-4,5-15,5	R15.5	3°	4,5	38	18	56	18	15
DHR77/18-76-4,5-15,5	R15.5	3°	4,5	38	18	76	18	15
DHR77/24-46-4,5-15,5	R15.5	3°	4,5	48	23	46	24	15
DHR77/24-56-4,5-15,5	R15.5	3°	4,5	48	23	56	24	15
DHR77/24-56-6,5-15,5	R15.5	3°	6	48	23	56	24	15
DHR77/24-76-4,5-15,5	R15.5	3°	4,5	48	23	76	24	15
DHR77/24-76-6,5-15,5	R15.5	3°	6	48	23	76	24	15
DHR078/12-27-2,5-40	R40	1°	2,5	28	13	27	12	11
DHR078/12-27-3,5-40	R40	1°	3,5	28	13	27	12	11
DHR078/12-36-2,5-40	R40	1°	2,5	28	13	36	12	11
DHR078/12-36-3,5-40	R40	1°	3,5	28	13	36	12	11
DHR078/12-46-2,5-40	R40	1°	2,5	28	13	46	12	11
DHR078/12-46-3,5-40	R40	1°	3,5	28	13	46	12	11
DHR078/12-56-3,5-40	R40	1°	3,5	28	13	56	12	11
DHR078/18-46-3,0-40	R40	1°	3	38	18	46	18	15
DHR078/18-46-4,0-40	R40	1°	4	38	18	46	18	15
DHR078/18-56-3,0-40	R40	1°	3	38	18	56	18	15
DHR078/18-56-4,0-40	R40	1°	4	38	18	56	18	15
DHR078/18-76-3,0-40	R40	1°	3	38	18	76	18	15
DHR078/18-76-4,0-40	R40	1°	4	38	18	76	18	15
DHR078/18-96-3,0-40	R40	1°	3	38	18	96	18	15
DHR078/18-96-4,0-40	R40	1°	4	38	18	96	18	15
DHR78/12-22-2,5-40	R40	2°	2,5	28	13	22	12	11
DHR78/12-22-3,5-40	R40	2°	3,5	28	13	22	12	11
DHR78/12-27-2,5-40	R40	2°	2,5	28	13	27	12	11
DHR78/12-27-3,5-40	R40	2°	3,5	28	13	27	12	11
DHR78/12-36-2,5-40	R40	2°	2,5	28	13	36	12	11

DHR74-79-Втулка леякова евростандарт

Стр.4 от 4



Код DxLxd	Series	α	d	d1	K	L	D	S
DHR78/12-36-3,5-40	R40	2°	3.5	28	13	36	12	11
DHR78/12-46-2,5-40	R40	2°	2.5	28	13	46	12	11
DHR78/12-46-3,5-40	R40	2°	3.5	28	13	46	12	11
DHR78/12-56-3,5-40	R40	2°	3.5	28	13	56	12	11
DHR78/18-116-3,0-40	R40	2°	3	38	18	116	18	15
DHR78/18-116-4,0-40	R40	2°	4	38	18	116	18	15
DHR78/18-27-3,0-40	R40	2°	3	38	18	27	18	15
DHR78/18-27-4,0-40	R40	2°	4	38	18	27	18	15
DHR78/18-36-3,0-40	R40	2°	3	38	18	36	18	15
DHR78/18-36-4,0-40	R40	2°	4	38	18	36	18	15
DHR78/18-46-3,0-40	R40	2°	3	38	18	46	18	15
DHR78/18-46-4,0-40	R40	2°	4	38	18	46	18	15
DHR78/18-56-3,0-40	R40	2°	3	38	18	56	18	15
DHR78/18-56-4,0-40	R40	2°	4	38	18	56	18	15
DHR78/18-76-3,0-40	R40	2°	3	38	18	76	18	15
DHR78/18-76-4,0-40	R40	2°	4	38	18	76	18	15
DHR78/18-96-3,0-40	R40	2°	3	38	18	96	18	15
DHR78/18-96-4,0-40	R40	2°	4	38	18	96	18	15
DHR79/18-27-3,5-40	R40	3°	3.5	38	18	27	18	15
DHR79/18-27-4,5-40	R40	3°	4.5	38	18	27	18	15
DHR79/18-36-3,5-40	R40	3°	3.5	38	18	36	18	15
DHR79/18-36-4,5-40	R40	3°	4.5	38	18	36	18	15
DHR79/18-46-3,5-40	R40	3°	3.5	38	18	46	18	15
DHR79/18-46-4,5-40	R40	3°	4.5	38	18	46	18	15
DHR79/18-56-3,5-40	R40	3°	3.5	38	18	56	18	15
DHR79/18-56-4,5-40	R40	3°	4.5	38	18	56	18	15
DHR79/18-76-4,5-40	R40	3°	4.5	38	18	76	18	15
DHR79/24-46-4,5-40	R40	3°	4.5	48	18	46	24	20
DHR79/24-56-4,5-40	R40	3°	4.5	48	18	56	24	20
DHR79/24-56-6,5-40	R40	3°	6.5	48	18	56	24	20
DHR79/24-76-4,5-40	R40	3°	4.5	48	18	76	24	20
DHR79/24-76-6,5-40	R40	3°	6.5	48	18	76	24	20